

# GASTROINTESTINAL KITTEN



Available in 400 g, 2 kg bags

## RECOMMENDED DAILY INTAKE & FEEDING DURATION

| KITTEN | KITTEN AGE (in months) | ADULT WEIGHT |      |       |      |       |      |
|--------|------------------------|--------------|------|-------|------|-------|------|
|        |                        | 3 kg         |      | 4 kg  |      | 5 kg  |      |
|        |                        | grams        | cups | grams | cups | grams | cups |
| 1      | 24                     | 2/8          | 27   | 2/8   | 34   | 2/8   |      |
| 2      | 39                     | 3/8          | 46   | 3/8   | 52   | 4/8   |      |
| 3      | 50                     | 3/8          | 58   | 4/8   | 67   | 5/8   |      |
| 4      | 54                     | 4/8          | 63   | 4/8   | 74   | 5/8   |      |
| 5      | 55                     | 4/8          | 65   | 5/8   | 77   | 5/8   |      |
| 6      | 54                     | 4/8          | 63   | 4/8   | 75   | 5/8   |      |
| 7      | 51                     | 4/8          | 61   | 4/8   | 72   | 5/8   |      |
| 8      | 48                     | 3/8          | 58   | 4/8   | 68   | 5/8   |      |
| 9      | 45                     | 3/8          | 55   | 4/8   | 64   | 4/8   |      |
| 10     | 43                     | 3/8          | 52   | 4/8   | 61   | 4/8   |      |
| 11     | 41                     | 3/8          | 50   | 3/8   | 58   | 4/8   |      |
| 12     | 39                     | 3/8          | 48   | 3/8   | 56   | 4/8   |      |

| MOTHER | MOTHER'S WEIGHT <sup>1</sup> (kg) | Gestation minimum week 3 |      | Gestation maximum week 9 |      | Lactation  |
|--------|-----------------------------------|--------------------------|------|--------------------------|------|------------|
|        |                                   | grams                    | cups | grams                    | cups |            |
|        | 3                                 | 52                       | 2/8  | 80                       | 3/8  | ad libitum |
| 4      | 63                                | 2/8                      | 98   | 3/8                      |      |            |
| 5      | 74                                | 2/8                      | 115  | 4/8                      |      |            |

<sup>1</sup> Weight at mating.

In case of acute disease, regeneration of the intestinal villi requires the nutritional management to last for at least three weeks. To optimise digestion, the recommended daily intake should be divided into several small meals. For the mixed feeding table please see the end of the section Gastrointestinal Tract

### REHYDRATION:

- Add twice the volume of hot water to the kibbles (20 mL of water per 10g of kibbles).

- Wait 15-20 minutes for the kibbles to get soaked.

- Mash with a fork to obtain 'porridge' texture.

- Serve once cooled down (body or room temperature).

# GASTROINTESTINAL DISORDERS



## RECOMMENDED FOR KITTENS FROM WEANING TO ADULTHOOD (AND GESTATING/LACTATING MOTHERS) IN CASE OF

- Acute and chronic diarrhoea (including weaning diarrhoea)
- Gastritis
- Inflammatory Bowel Disease (IBD)
- Colitis
- Small intestinal bacterial overgrowth (SIBO)
- Maldigestion/ Malabsorption
- Dysrexia, re-feeding after surgery



### DIGESTIVE SUPPORT

A highly digestible formula with balanced fibres, including prebiotics, to support a healthy digestion and transit.



### OPTIMAL GROWTH

High energy formula with adapted levels of nutrients (including protein and calcium) to meet the needs of a growing kitten.



### EASY REHYDRATION

Kibble that can be easily rehydrated to facilitate food intake in kittens with decreased appetite and help transition from milk to solid food.

## KEY VALUES

|                       | Per 1000 kcal | Per 100g as fed |
|-----------------------|---------------|-----------------|
| Protein               | 80.79 g       | 35.00 g         |
| Fat content           | 55.40 g       | 24.00 g         |
| Carbohydrate (NFE)    | 57.02 g       | 24.70 g         |
| Crude fibre           | 4.62 g        | 2.00 g          |
| Dietary fibre         | 15.47 g       | 6.70 g          |
| Calcium               | 2.89 g        | 1.25 g          |
| Phosphorus            | 2.47 g        | 1.07 g          |
| Potassium             | 2.08 g        | 0.90 g          |
| Sodium                | 1.62 g        | 0.70 g          |
| Chloride              | 2.86 g        | 1.24 g          |
| Magnesium             | 0.23 g        | 0.10 g          |
| Copper                | 3.46 mg       | 1.50 mg         |
| Zinc                  | 39.24 mg      | 17.00 mg        |
| Taurine               | 0.62 g        | 0.27 g          |
| Vitamin A             | 6578.95 IU    | 2850.00 IU      |
| Vitamin E             | 126.96 IU     | 55.00 IU        |
| Omega 6               | 12.14 g       | 5.26 g          |
| Omega 3               | 2.93 g        | 1.27 g          |
| EPA + DHA             | 1.11 g        | 0.48 g          |
| Metabolisable energy* |               | 433.2 kcal      |

\*Calculated according to NRC2006.

## COMPOSITION

Dehydrated poultry protein\*\*, animal fats\*\*, rice\*\*, wheat gluten\*\*, maize flour\*\*, hydrolysed poultry liver\*\*, yeasts products, minerals, fish oil\*\*, beet pulp, egg powder\*\*, vegetable fibres, soya oil\*\*, psyllium husks and seeds (source of mucilaginous substances), fructo-oligosaccharides (0.5%), hydrolysed yeast (source of manno-oligo-saccharides (0.2%) and betaglucans), marigold extract (source of lutein).

\*\* Highly digestible ingredients.

## ADDITIVES (KG)\*\*\*

Nutritional additives: Vitamin A: 25500 IU, Vitamin D3: 1000 IU, Iron (3b103): 31 mg, Iodine (3b201, 3b202): 3.1 mg, Copper (3b405, 3b406): 10 mg, Manganese (3b502, 3b504): 41 mg, Zinc (3b603, 3b605, 3b606): 127 mg, Selenium (3b801, 3b811, 3b812): 0.04 mg - Technological additives: Clinoptilolite of sedimentary origin: 10 g - Preservatives - Antioxidants.

\*\*\*Values reflect only levels added to the formula, not those naturally occurring in components of the diet.

